

Piston Seals  
Wipers  
Compounds  
Custom Parts  
Specialty Parts  
Services  
Wear Guides  
Rod Seals

QUALITY | VALUE | SERVICE

# O-Ring Kits & Specialty Products

O-Ring Kits



 **ALL SEALS**  
THE SEALING SPECIALISTS





# Wide selection. All perfection.

You need it, we've got it. Our kits make it even easier to stock the perfect fit for any need. And count on our vast selection of specialty products to seal the deal in the most challenging situations. Kits come in sturdy plastic containers with cards to indicate the size and quantity in each compartment. They're packed in plain boxes for easy reshipment. You'll also appreciate the reliable cost-effective delivery systems. All Seals and its world-wide network of suppliers are ISO: 9001:2008 certified so you can count on consistent quality. We offer one of the most extensive inventories in the industry for the efficient convenience of one-stop shopping for all your needs. And if you've got questions, we've got experts with the right answers.








For more information, quick quotations, expert consultation and responsive customer service call us at 800.553.5054, or visit our website at [www.allsealsinc.com](http://www.allsealsinc.com).

**QUALITY | VALUE | SERVICE**









## 12 COMPARTMENT O-RING KITS For repair, maintenance, design or prototype requirements

	<b>PLUMBER'S PAK O-RING KIT</b>	<b>ITEM #</b> K200X12P	<b>MATERIALS</b> Nitrile 70	200 rings 12 popular plumbing and industrial sizes
	<b>AUTOMOTIVE A/C O-RING KIT</b>	<b>ITEM #</b> K200X12GHSN	<b>MATERIALS</b> HSN Nitrile	200 rings 12 popular O-ring sizes Made of highly saturated Nitrile, green color 70 durometer, resistant to R134A refrigerant


## 36 COMPARTMENT O-RING KITS More product, more value with 36 sizes of quality O-rings, seals or back-up rings in the most popular sizes and compounds

	<b>US INDUSTRIAL KIT</b>	<b>ITEM #</b> K436X36N70 K436X36N90 K436X36F75 K436X36FB7	<b>MATERIALS</b> Nitrile 70 Nitrile 90 Fluorocarbon 75 Fluorocarbon brown color 75	436 rings 36 sizes
	<b>METRIC O-RING KIT</b>	<b>ITEM #</b> K500X36MM K500X36F75	<b>MATERIALS</b> Nitrile 70 Fluorocarbon 75	500 rings 36 metric sizes For industrial and automotive applications Inside diameters 2.2mm to 20mm, 6 cross sections to 3mm
	<b>JAPANESE METRIC KIT</b>	<b>ITEM #</b> K380X36J	<b>MATERIALS</b> Nitrile 70	380 rings 36 "JIS" sizes For Japan's automotive and manufacturing industries
	<b>QUATTRO SEAL KIT</b>	<b>ITEM #</b> K226X36Q	<b>MATERIALS</b> Nitrile 70	226 seals 36 sizes Designed with four sealing surfaces, extending seal life
	<b>CONTOURED BACK-UP RING KIT</b>	<b>ITEM #</b> K293X36B	<b>MATERIALS</b> Nitrile 90	293 rings 36 sizes of back-up rings For use as back up to an O-ring when hydraulic pressure exceeds 1500 psi
	<b>PTFE O-RING KIT</b>	<b>ITEM #</b> K325X36TOR	<b>MATERIALS</b> PTFE	325 rings 36 sizes Impervious to a wide variety of chemicals Can withstand temperatures up to 500° F
	<b>SPLIT PTFE BACK-UP RING KIT</b>	<b>ITEM #</b> K325X36TBU	<b>MATERIALS</b> PTFE	325 rings 36 sizes of single turn PTFE Backup rings which conform to MS28774 dimensions

## ADDITIONAL KITS

	<b>O-RING WAREHOUSE KIT</b>	<b>ITEM #</b> K1110X150N70 K1110X150N90 K1110X150F75	<b>MATERIALS</b> Nitrile 70 Nitrile 90 Fluorocarbon 75	1100 rings 150 sizes Stored in sturdy styrene cabinet with convenient pull-out drawers
	<b>DELUXE O-RING KIT</b>	<b>ITEM #</b> K382X30N70	<b>MATERIALS</b> Nitrile 70	382 rings 30 popular sizes Case features post and recess style storage Widely regarded as the industry standard
	<b>BOSS O-RING KIT</b>	<b>ITEM #</b> K212X20N90 K212X20F90	<b>MATERIALS</b> Nitrile 90 Fluorocarbon 90	212 rings 20 sizes for use in Boss Tube fittings, the familiar "900" series O-rings Deluxe plastic case
	<b>180 O-RING ASSORTMENT KIT</b>	<b>ITEM #</b> K180X30F75	<b>MATERIALS</b> Fluorocarbon 75	180 rings 30 popular sizes
	<b>METRIC O-RING KIT</b>	<b>ITEM #</b> K385X30MM KMETRIC90	<b>MATERIALS</b> Nitrile 70 Nitrile 90	385 rings 30 popular metric size
	<b>180 U-CUP ASSORTMENT KIT</b>	<b>ITEM #</b> K180X36U	<b>MATERIALS</b> Nitrile 70	180 rings Hydraulic U-Cup packing per specification AS6226
	<b>PTFE STEM WASHER KIT</b>	<b>ITEM #</b> K240X12TEF	<b>MATERIALS</b> Nitrile 70	12 sizes ranging from 3/16" ID x 15/32" OD to 3/16" ID x 3/4" OD All washers are 1/8" thick Ideal for plumbing use
	<b>O-RING SPLICING KITS</b>	<b>ITEM #</b> INSPLCE70 INSPLCN70 INSPLCS70 INSPLCF75	<b>MATERIALS</b> EDPM 70 Nitrile 70 Silicone 70 Fluorocarbon 75	Each kit contains O-ring cord, splicing jig, razor, glue and size chart Kits contain 5 sizes of 7' lengths of cross sections: 0.070", 0.103", 0.139", 0.210" and 0.275" INMMSPLC70 kit contains both metric and inch cross sections, 14 sizes of 3' lengths of cross sections: 0.070", 0.103", 0.139", 0.210", 0.275", 1.5mm, 2mm, 2.5mm, 3.0mm, 3.5mm, 4mm, 5mm, 5.7mm and 8.4mm

## INSTALLATION TOOLS

	<b>ROD SEAL INSTALLATION TOOLS</b>	<b>ITEM #</b> IT 100 IT 150 IT 200	<b>MATERIALS</b> 3/4" - 1 1/4" 1 3/8" - 1 7/8" 2" - 3"	Prevent damage to rod seals when installing into small, closed-diameter gland openings or deep-set rod grooves Recommended for use with rubber and urethane seals
---	------------------------------------	---	---	--

## MEASURING DEVICE

	<b>SUPER O-RING MEASUREMENT CONE</b>	<b>ITEM #</b> CONE		The ideal tool for quick and easy identification of standard O-ring dash number sizes Measures 184 sizes of widely used O-rings Base includes a thickness gauge
---	--------------------------------------	-----------------------	--	---

## LUBRICANTS

	<b>SEAL LUBE O-RING LUBRICANT</b>	<b>ITEM #</b> SL20Z		Clear, high viscosity silicone oil Suitable for use with most common O-ring compounds 2 oz bottle
---	-----------------------------------	------------------------	--	---



**CALIFORNIA**

**20762 Linear Lane**  
**Lake Forest, CA 92630**  
**800.553.5054** TOLL FREE  
**714.556.4931** PHONE  
**714.557.3257** FAX

**TEXAS**

**4407 Halik Road, Building A**  
**Pearland, TX 77581**  
**800.553.5054** TOLL FREE  
**281.404.4384** PHONE  
**281.715.5379** FAX

**CONTACT**

**[sales@allsealsinc.com](mailto:sales@allsealsinc.com)**  
**[www.allsealsinc.com](http://www.allsealsinc.com)**

© 2015, All Seals, Inc. Rev 12.16

**WARRANTIES** All Seals, Inc. warrants the products to be free of defects in materials and workmanship (as defined by the engineering print or standard industry specification) for a period of ninety (90) days. Should the product(s), in All Seals' opinion, malfunction during the warranty period, All Seals, Inc. will, at its option, repair or replace the defective product(s) at no charge provided that the product(s) have not been subjected to misuse, abuse, or non-All Seals-authorized alternations, modifications, or repairs. All Seals, Inc. provides only the warranties set forth herein. All other warranties, expressed or implied, including but not limited to the warranties of merchantability and fitness for a particular purpose, are excluded in the event the product(s) provided herein malfunction. Buyer's sole remedy shall be repair or replacement as provided above. Under no circumstances shall All Seals, Inc. be liable in any way to the buyer or user for any damages, including any lost profits or other indirect, special, incidental or consequential damages of any kind or nature, arising out of use of, or inability to use such product.